

(12) PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. AU 199712662 B2
(10) Patent No. 709724

(54) Title
Progressive gaming system

(51)⁶ International Patent Classification(s)
G06F 017/60 G07F 017/32

(21) Application No: 199712662 (22) Application Date: 1997 .02 .12

(30) Priority Data

(31) Number (32) Date (33) Country
600670 1996 .02 .13 US

(43) Publication Date : 1997 .08 .21
(43) Publication Journal Date : 1997 .08 .21
(44) Accepted Journal Date : 1999 .09 .02

(71) Applicant(s)
International Game Technology

(72) Inventor(s)
Logan L. Pease; Dwight E. Crevelt

(74) Agent/Attorney
SPRUSON and FERGUSON,GPO Box 3898,SYDNEY NSW 2001

(56) Related Art
US 5116055
US 5564700

Progressive Gaming System

ABSTRACT

A progressive gaming system with wide applicability to a potentially large number of players is provided. A three-level hierarchy can be used in which a portion of wagers and individual terminals are earmarked for contribution to a progressive jackpot, each casino is allotted one chance at a prize for each threshold amount of contribution and a win/loss decision is made; for each such chance, by a central computer system (106).

5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
22

AUSTRALIA
PATENTS ACT 1990

COMPLETE SPECIFICATION

FOR A STANDARD PATENT

ORIGINAL

Name and Address
of Applicant: International Game Technology
520 South Rock Boulevard
Reno Nevada 89502
UNITED STATES OF AMERICA

Actual Inventor(s): Logan L. Pease and Dwight E. Crevelt

Address for Service: Spruson & Ferguson, Patent Attorneys
Level 33 St Martins Tower, 31 Market Street
Sydney, New South Wales, 2000, Australia

Invention Title: Progressive Gaming System

The following statement is a full description of this invention, including the best method of performing it known to me/us:-

PROGRESSIVE GAMING SYSTEM AND
METHOD FOR WIDE APPLICABILITY

5 The present invention relates to a progressive gaming system and, in particular, to a system which provides an opportunity to win a jackpot or other prize to any of a number of electronically coupled gaming devices.

BACKGROUND INFORMATION

10 Gaming systems have included progressive systems in which the machines are linked together so that, in addition to the normal games played on the gaming machines, players can compete for an additional prize. One type of progressive gaming system is described, for example, 15 in U.S. Patent 4,837,728, issued June 6, 1989, and assigned to International Game Technology.

Although progressive gaming systems have proved to be successful, it is believed there is a potential to provide progressive gaming systems which could make the systems available to a larger number of players, preferably while maintaining or enhancing the system's resistance to cheating.

In the past, progressive systems have been typically organized on a gaming device level, 20 e.g., such that when a prize was awarded by the central system, it was directly awarded by the central system to an individual gaming device or terminal. This is believed to, from a practical point of view, place limits on the size of the progressive system, and thus limit its availability to potential players. Furthermore, in many previous progressive systems, the only gaming devices or terminals which could be used to participate in the progressive gaming were those which were specially 25 constructed for coupling to a particular progressive system, such as only gaming devices made by a particular manufacturer, only those devices for playing a particular game, and/or only those devices using a certain monetary denomination or range of denominations (e.g. only dollar slot machines).

In some progressive systems, the event which triggers a potential win of a progressive jackpot is a win at a local gaming device. For example, in some slot machine systems, no 30 progressive jackpot may be awarded until a play at one of the slot machines connected to the progressive system has resulted in a winning combination. In some systems, no prizes are awarded until a threshold condition occurs (such as the progressive jackpot reaching a variable threshold amount). The progressive jackpot will then be awarded to the player at the first connected slot machine to indicate a win. Although such a system is operable, it is believed a system which 35 requires a local win in order to qualify for a progressive jackpot win does not provide the greatest entertainment value and player attraction possible.

Accordingly, it would be advantageous to provide a progressive gaming system which is not limited to awarding prizes to an individual gaming device or terminal, is not limited to a particular manufacturer, style or denomination of gaming terminal, is not limited to awarding the progressive 40 jackpot only to local winners, and/or has potential for enhancing the number of players who can partake in the progressive system play while maintaining or enhancing resistance to cheating.

SUMMARY OF THE INVENTION

5 The present invention permits a hierarchically-organized progressive gaming system in which the central system need not directly award a prize to a player at an individual gaming device or terminal. In one embodiment, multiple casinos (or other groupings) are coupled to a central system, and the central system provides each casino or group with a predetermined number (e.g. one) of chances at a prize for each buy-in, i.e. each multiple of a predetermined amount of contribution to the prize or jackpot. If a prize is awarded, as a result of such a chance at the prize, the casino or group awards the prize to a player (or players) who is (or recently was) actively playing in that casino or group, and who was randomly selected (possibly with some weighting, e.g., based on the denomination of the game) with the winner preferably being selected at the casino level. Thus, in one embodiment, the invention involves a hierarchy of at least three levels; gaming terminal, casino, and central system, in which there is no need for direct communication between the gaming terminals and the central system. Further, according to the present invention it is possible for a player to win a progressive jackpot even though that player has not had a local win, i.e. has not won a game on the particular gaming device being used.

To avoid the need for using only machines of a certain manufacturer or configured for a certain game, the system is preferably configured to operate in conjunction with any of a number of different types of gaming devices, (and/or networks of other electronic communication systems). In one embodiment, the progressive system can include any casino which uses a player tracking system such as a system in which users may use one or more encoded cards, which enable play, and/or identify the player. Because, particularly, these systems can be coupled to any of a number of types of machines, including machines made by different manufacturers, having different denominations and the like, the progressive gaming system of the present invention can be used in connection with a wide variety of gaming and other devices.

A number of approaches can be used to maintain or enhance resistance to cheating. In one embodiment, the progressive system is used only in connection with machines which have a capability of identifying a player, such as machines having a player tracking system. Preferably a casino identifies a potential winner for a given "chance" at the prize before the central system determines whether the casino (or, more properly, a player at that casino) has won the prize. Typically, in the system, the central computer will not know the identity of all potential winners (and/or will not know the identity of the winning player) at the time the prize is awarded. In another embodiment, for each chance a casino has at a prize, the casino transmits the identity or names of a plurality of randomly or pseudo-randomly selected players (winner nominees) to the central system and, if the central system determines that the casino was a winner, the central system selects, randomly, one of the nominated players as the winner. In another embodiment, rather than identifying players, the casino selects a particular machine or device as a potential winner.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a schematic view of a gaming system, according to one embodiment of the present invention;

5 Fig. 2 is a flowchart depicting a method for selecting a winner, according to an embodiment of the present invention;

Fig. 3 is a flowchart depicting a method for selecting a winner, according to an embodiment of the present invention;

10 Fig. 4 is a flowchart depicting a method for selecting a winner, according to an embodiment of the present invention;

Fig. 5 is a flowchart depicting a method for selecting a winner, according to an embodiment of the present invention; and

Fig. 6 is a flowchart depicting a method for selecting a winner, according to an embodiment of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

As depicted in Fig. 1, a gaming system may include a plurality of electronically-coupled components. In the embodiment depicted in Fig. 1, the system can be considered in three portions, a casino gaming and player tracking system 102, a casino progressive system 104, and a central computer system 106. The first portion 102 includes a plurality of gaming devices or terminals 108a, 108b, 108c, which can be any of a plurality of gaming devices or other operable and/or entertainment devices. In the depicted embodiment, the gaming devices 108a, 108b, 108c are slot machines. Other types of gaming devices that can be used include electronic slot machines, electronic poker machines, blackjack machines, 21 machines, lottery terminals, and the like. In the depicted embodiment the gaming devices 108a, 108b, 108c are coupled in a daisy-chain fashion through daisy chain unit 110a, to a processor controller 112, for coupling to a computer such as front end controller computer 114. The system may include a plurality of daisy chain units 110a - 110d, each of which is coupled to a plurality of gaming devices 108. Although in the depicted embodiment there are three gaming devices 108a, 108b, 108c, connected to the first unit 110a, there may be more or fewer gaming devices coupled to each unit, and there may be more or fewer units. Gaming terminals can be coupled to the controller 114 in topologies other than a daisy chain fashion, such as a star topology, a ring topology, a hub topology and the like, as will be apparent to those of skill in the art.

In one embodiment, the gaming devices 108, which are used in connection with the described progressive gaming system, are those devices which are configured to use a player tracking system, and preferably a player tracking system which permits the casino computer system to identify the players playing at such machines. In general, a player tracker system involves a card reader or other user input-output (I/O) or identification device 172a, 172b, 172c, and cables 174a through 174d, or other communication links and/or communication electronics for providing information obtained via the I/O devices 172a, 172b, 172c to a computer such as front end controller 114, as well

as software in the computer and/or gaming devices for communicating player information and using such information, e.g., as described below. In one embodiment, the player I/O devices 172a, 172b, 172c include a card reader 176, and a display screen 178. In one embodiment, players may purchase or otherwise obtain player tracking cards which are encoded with information such as being

5 magnetically encoded, optically encoded, and/or punch encoded. In one embodiment, the cards may appear similar to a normal credit card with a magnetic strip thereon for encoding information. In one embodiment, when players purchase such cards, a player credit amount, related to the purchase price, is encoded on the card. Alternatively, the card may be encoded with an identity number (ID) or other identification information that is then used to determine the value in a corresponding account

10 held in the central computer system. When the card is inserted in the card slot 176, the gaming device 108a will accept the encoded credits or deduct them from the value held in the account as a wager amount, preferably updating the information to deduct wager amounts and reflect a current credit balance, and/or to add winnings. Other identification devices can also be used, such as voice print identification, retinal scan identification, fingerprint or thumbprint scan identification, and the

15 like. Other types of player tracker cards and/or systems can also be used, such as systems which accept an ordinary credit card or debit card, systems which accept cards configured with a microprocessor and/or memory (so-called smart cards), and the like.

In one embodiment the present invention preferably is used in connection with a casino (or other grouping) which is configured with such a player tracking system. This provides numerous

20 benefits. First, such systems provide an electronic coupling of gaming devices 108, to a central network or system 118, and thus the present invention can be implemented by making use of much of the network, communications and/or other infrastructure which is already present 102, and thus can be implemented with little additional hardware. Furthermore, this advantage is consistent with the desire, noted above, to provide a progressive system which is not limited to a particular gaming

25 device manufacturer or configuration. Many player tracking systems have the capability to couple together gaming devices from many manufacturers or having many configurations, and thus by implementing the described progressive system, using an in-place player tracker system, this goal can be readily achieved. Yet another positive aspect of implementing the present invention in connection with a player tracker system, is the ability to maintain or enhance safeguards against cheating, e.g.,

30 by identifying potential winners (such as using the player tracker identity capability) preferably prior to determination of a winner by the central computer.

In the embodiment which is depicted and described, it is contemplated that a single chance at a particular prize or jackpot will be provided for each predetermined amount contributed by a casino toward the prize or jackpot. Although much of the following description is in terms of prize chances

35 given to a "casino," the invention is not limited to embodiments in which only casino-wide chances at the prize are provided. There are many ways in which a plurality of gaming devices can be grouped together, so as to provide such grouping of gaming devices with chances at the prize. For example, a chance at a prize may be given (for each minimum contribution of the grouping toward the jackpot)

to a subset of all the gaming devices in a casino, such as all the devices in a particular location of the casino, all the devices configured for a particular game, all the devices having a particular denomination or denominations, or the like. Unlike previous systems, such groupings by game or denomination are optional. The casino may be divided into several regions or groups, each group of gaming devices being able to accumulate contributions toward the prize of a size to attain a chance at the prize. The progressive system may be configured such that the groupings are changed from time to time, such as providing different groupings at different times of day, e.g., depending on the level of activity in the casino. It is also possible to have groupings which include gaming devices in two or more casinos, such as all gaming devices in all casinos owned by a particular company, a group of gaming devices in one casino, plus a group of devices in another casino, or the like. Thus, although much of the following description is in terms of a "casino" group, this terminology is provided only for convenience of discussion, and with the understanding that other groupings of gaming devices can also be used.

As one example, it is assumed that a portion (e.g. 0.15%) of the wagers placed on the gaming devices 108a, 108b, 108c are to be contributed toward the jackpot, and that a casino will receive one chance at the jackpot for every minimum contribution, e.g. for each \$4,000 contributed to the jackpot. Assume further, that there are five casinos in the system, each of which does sufficient volume to contribute \$20,000 per day towards the jackpot. Thus, in this example, the total jackpot will accumulate at an average rate of about \$100,000 per day. In this situation, each casino will receive approximately 5 chances at the jackpot each day. That is, considering all five connected casinos there will be a total of 25 chances at the jackpot per day. If it is assumed that the odds of winning a jackpot, for any chance, are set at one in 2,500, there will, on the average, be a prize awarded once every 10 days, and the average size of that prize will be \$1,000,000. Other examples will occur to those of skill in the art once the present disclosure is understood.

It is contemplated that when the central system has determined that the prize has been won, the casino whose "chance" resulted in the win, will award the entire prize to one player (selected, e.g. as described below). However, it is also possible to provide a system in which, once there has been an award of a prize, the casino may divide the winnings among two or more randomly selected players, such as by providing a first prize, second prize, third prize, etc.

In the embodiment of Fig. 1, the gaming devices 108a, 108b, 108c in a casino (or other grouping) are coupled to a computer network, such as a token ring network 118, providing information to a plurality of computers such as PC-type computers, for various purposes, such as security 120, jackpot/fill booth operation 122, scale interface 124, camera interface 126, club booth 128, management 130, and transaction processing 132. In general, the hardware depicted in the casino 102 can be that known in the past for use in many types of player tracking systems.

The hardware of the progressive system 104, and particularly the manner in which it is connected with the casino system 102, and the central computer system 106, and the manner in which it operates or is controlled, e.g., by software, is believed to be different from previous systems. In

one embodiment, the progressive system includes an electronic processor such as a computer 138, and a data communications system such as modems 142a, 142b, e.g., for providing communication with the central computer system 106. The processor 138 receives information from the casino system, e.g., over a token ring connection 144, and/or a communications or data tap, such as an RS 232 connection 146. The information received from the casino system 102 may include information regarding which gaming devices 108 are being played, the identity of players at various gaming devices, the amount wagered at the various coupled gaming devices in the casino, and the like. The processor 138 also provides information to the casino system 102, including information regarding the current value of the jackpot, received from the central system 106, via communication devices 142a, 142b, the existence of any winners, and the like. The processor 138 communicates a number of types of information to the central system 106, including accumulated amounts of contributions to the jackpot, e.g., in amounts to permit the casino system 102 to have a chance at the prize.

The central system 106 can be configured in an number of different manners. In the depicted configuration, the central system includes several computers, such as the work station computer 152, a network server 154, a central computer 156, and an auxiliary central computer 158, coupled over a computer network system such as an Ethernet system 160. A port switch device 162 permits the central computer 106 to be coupled not only to the first casino system 102, described above, but also to a plurality of other casinos 165, each of which will be coupled via a processor similar to the processor 138 depicted in Fig. 1. The central system may include various printers 166a, 166b, or other peripheral devices. In one embodiment, the central computer system may have hardware similar to that used for other gaming systems central computers, such as other progressive system central computers. However, the hardware will be controlled or operated, e.g., using software, in a fashion which is believed to be different from that of previous devices.

In one embodiment, all players who have active player tracking cards inserted in gaming devices 108 are eligible for progressive jackpots. Thus, in this embodiment, a player may win a progressive jackpot even though that player has had no win (or no recent win) on the particular gaming device(s) being played. An amount, either a flat amount for each actively played machine or a percentage of the coin-in amount, is earmarked for contribution to the progressive jackpot. A process, such as the gateway processor 138, aggregates these contributions and maintains a current data base of game machines 108, and player identity (or, more precisely, player-tracker card identity).

In this context, an active player may be defined in any of a number of ways. For example, a particular gaming machine may be considered to have an active player if (1) there is a card inserted in the player tracker system at the time of the polling cycle (described below), or within a certain period prior to the polling cycle, such as a predetermined number of seconds prior to the polling cycle, or any time since the previous polling cycle at that casino or, (2) if the gaming device or terminal is currently being played or has been played within a certain period prior to the polling cycle, regardless of whether there is a card in the card slot. (although, in one embodiment, a player

is eligible only if the player can be identified, e.g. by a player identification system). Preferably, the system also ensures that a player is actually playing a game and not merely inserting a card and sitting at the machine without wagering. Therefore, certain other timing parameters for before and after a game is played may be included.

5 In one embodiment, the gateway processor and/or casino system 102, is configured to identify abandoned player tracker cards, i.e., cards which are inserted in machines, but which have not been used for a predetermined period. Preferably, the processor 138 does not allow the players identified at such machines to have a chance at the jackpot until play become active once again on that card. As depicted in Fig. 2, in one embodiment the central computer system 106 periodically or
10 frequently polls the processors 138 for each of the various connected casinos 102, 164, and collects the contribution from the various casinos. In one embodiment, the central system also randomly selects a number of the gaming devices 108 at each casino, and requests information regarding the status (e.g. valid player ID card inserted or not) at those selected machines. In this embodiment, such information is collected in order to detect and/or discourage cheating. In one embodiment, the
15 poll message also conveys to the gateway processor 138 information about the current value of the jackpot. This information can be conveyed back to the casino 102, e.g., for display at the gaming devices 108 if desired. Jackpot amounts can be displayed at the gaming devices in a number of fashions, e.g., via large overhead displays (not shown), as is common with progressive gaming devices, on a video display screen, e.g., on a portion of the screen 177 normally provided for
20 electronic slot machines or other electronic gaming devices, and/or in a smaller display 178 provided as part of the player tracker system or module.

When the central system 106 has polled a processor 138 and retrieved the most recent contribution toward the jackpot, the central system determines whether the accumulated contributions from that casino 102 in the period since that casino's last chance at the jackpot, have exceeded a
25 predetermined threshold amount 204, which has been set as the amount needed to earn a try or chance at the jackpot. If the threshold amount has not been reached 206, the contributed amount is simply accumulated in the account for that casino, the amount of the jackpot is updated 208, and the procedure repeats 210.

If the casino has reached the threshold amount, the central computer 106 then determines
30 whether the status information sent by the processor 138 indicates that at least one of the machines 108 in the casino was active 202. If there was not an active machine among the first random selection of machines in the casino, the contributions are accumulated and the system repeats so as to collect data on another randomly selected sample of the machines in the casino 202. In one embodiment, this cycle 204, 212, 206, 208, 210, 202, will repeat until either a poll response 202
35 returns with an active player ID or the procedure times out. In this way the central system 106 ensures that a casino 102 will receive one and only chance or attempt at the jackpot for every threshold amount of contribution towards the jackpot.

Once the threshold amount has been reached and an active gaming device 108 has been identified, the contributions from the casino are added to the progressive jackpot, and the threshold amount is subtracted from the casino's accumulated amount 214. The central processor 106 then determines whether, as a result of the attempt or chance at the jackpot, the casino (or more properly, one or more players at the casino) is a winner. In the depicted embodiment, this is done by the central computer system 106, generating a random number in a predetermined range, with the range being selected according to the predetermined odds of winning. For example, if the odds of winning are one in 2,500, the central computer will select a number randomly 206 in the range of 1 through 2,500. The computer will then compare this randomly selected number with a previously stored and randomly generated winning number 218. If there is a match, then the player at the active machine identified in step 212 is the winner of the jackpot 220. This information is conveyed to the processor 138, and the progressive amount of the jackpot is reset and a new winning number is randomly generated. If there is no match, then the casino's chance at the jackpot was unsuccessful, and the procedure repeats 222. The same procedure is followed for each casino connected to the central system 106, with the casinos being polled successively.

A number of procedures can be used in connection with the present invention. Preferably, the procedures are configured to maintain or enhance the ability to detect, deter and/or prevent cheating. Preferably, the procedures require that potential winners are identified and logged in an auditable manner at both the casino level and the central system, preferably prior to selection of an actual winner. In one embodiment, the central system polls the various casinos to retrieve and transmit various information. As will be apparent to those of skill in the art, the present invention can be used in connection with communication systems other than polling systems, such as interrupt or peer-to-peer systems. In one contemplated polling system, it may require several polls and responses before the desired communication is finished and the central system moves on to poll another casino. Such a group of polls of a casino is referred to herein as a polling cycle. In a relatively small system, it may be possible to transmit the identity of every active player to the central system on every poll cycle. However, it is believed such communication would be impractical in a relatively large system, since it would require communication of a very large volume of information at a high frequency. Accordingly, in another embodiment, the casino sends the identity of only a subset of all active players on each poll cycle. The central system may request such information periodically from each casino in order or may randomly query the casinos for player identification.

In the embodiment depicted in Fig. 3, in response to a poll sent from the central system 302, the casino transmits to the central system, in addition to the amount being contributed to the jackpot, the identity of all active players in the casino or the identity of a subset of all active players, preferably randomly selected 304. The process of determining a threshold contribution and selecting a winner 204, 206, 214, 216, 218, is similar to that depicted in Fig. 2. If there has been a winner, the central system 106 then notifies the casino 102, which may then select the actual winner

randomly from among the subset or pools of nominated winners sent to the central system or, alternatively, the central system may make this selection from among the pool of potential winners 220. In general it is preferred for the casino to make the selection in those embodiments in which selection is random but weighted, e.g. giving preference to players who are playing on higher-
 5 denomination machines, or weighting the selection proportional to the relative amount a given player or machine has contributed toward the threshold.

In one alternative, it is possible for each casino to transmit to the central system the identity of a single active player who will be the winner if the casino's chance or try at the prize is successful. In the embodiment depicted in Fig. 4, the central system randomly selects one of the
 10 casinos (or other group or location 402). This selection could, if desired, be a random but weighted selection (e.g., with a weighted scaling factor based on the number of machines per location, based on the contributions per location, or the like). The weighted scaling factor could be based upon an average contribution level per casino or actual contribution levels. Since, in one embodiment, the aggregate contribution per location is sent to the central system on each poll cycle, the scaling factor
 15 used in randomly selecting a location could be dynamically calculated based on the actual contributions for each location. After a location or casino is selected, the central system selects a machine at that location 404. This selection may also be a weighted random selection, e.g., using a weighted scaling factor based upon machine denomination. This selection would then be sent to the casino system, which would determine whether there was an active player at that selected machine
 20 406. If there is no active player, the process will return 405 to permit the central system to select another machine. If there is an active player, the casino will identify the player at that machine (e.g., using a player tracking system), and may store, print out or otherwise log such identification, as well as sending the identity of the player to the central system (e.g., for storage and/or printing). Ultimately, a potential winner will be identified and logged by this process. Using this system, when
 25 a random number selection and comparison results in a determination of a win (e.g., using the selection and comparison method 216, 218 depicted in Fig. 2), the last recorded potential winner becomes the actual winner.

In yet another alternative, in response to a poll, the casino sends to the central system a pool of (randomly selected) actively-playing potential winners 502 (Fig. 5). This pool is randomly
 30 selected at the casino level, if desired, with a weighting factor, such as that described above.

In this way, a pool of potential winners is provided on each poll cycle. The central system would randomly select a potential winning machine from each location or casino 504, and preferably this information will be appropriately stored, printed or otherwise logged in an accountable manner, e.g., as described above in connection with Fig. 4. The central system, after making a win/loss
 35 determination 506 (e.g., using a win/loss determination similar to that depicted in Fig. 2, 216, 218) will, if there is a win 508, select the winning location and notify the casino 510. Since a pool of potential winners is available, all of them active players, the retry loop 405 (depicted in Fig. 4) is avoided, thus potentially reducing the amount of communication necessary. If no active players are

identified by the casino in response to a poll 502, the central system ignores that polling cycle and repeats the process at a later time. In the embodiment of Fig. 5, security is maintained or enhanced since a single potential winner is not identified until after the award is determined 508, and yet a complete auditable trail of potential winners is available 502. The central system has a log of
 5 selections made at each casino on every poll cycle, not just from randomly selected locations. By providing this communication at every location on every poll cycle, overall integrity of the audit trail is relatively high.

In connection with the embodiment of Fig. 5, there may be some concern that the potential for cheating is shifted from the casino level to the central system. However, since the potential
 10 winner information is sent to the central system for audit purposes only (i.e., it is not necessary in order for the central system to make the win/loss decision 508), one approach is to send the information from the casino 502 in encrypted form. It would then be possible to delay sending the encryption key from the casino to the central system until after the next polling cycle, i.e., until after the next pool of potential winners is sent to the central system. By delaying the transmission of the
 15 key until the next polling cycle, integrity of the system is enhanced. In the case of an actual winner, the central system would not be able to decrypt the winner identity information until after the selection was made.

According to another embodiment, depicted in Fig. 6, in response to a poll 602, the casino randomly selects a single potential winner, identifies that potential winner (who will be an active
 20 player) and sends the identity of this potential winner to the central system 604. The remainder of the procedure 204, 206, 212, 214, 216, 218, is similar to that depicted in Fig. 2, except that, following a win, it is necessary only for the central system 620 to notify the casino that the nominated winner has won. If desired, it is possible to delay the selection, identification and/or transmission of the identity of the potential winner until after a determination that this casino has reached the
 25 threshold contribution 632, and/or after there has been a determination that there has been a winner 634. In the latter case, in order to comply with the objective of identifying potential winners before the winner selection, it is only the transmission to the central system that is delayed, rather than the step of identifying the potential winner.

When there has been a winner, the casino may respond in any of a number of fashions. For
 30 example, the winning machine may sound a bell or other audible signal, display a light, and the like. In the event a player has removed his or her card before the win alarm is sounded, casino personnel will have the player's identity (via the player tracking system) and can notify the winner in person.

In light of the above description, a number of advantages of the present invention can be seen. The present invention provides a progressive gaming system which is not limited to awarding a prize
 35 or jackpot by a central system directly to an individual gaming device or terminal. The present invention is believed to provide a potential for making progressive gaming systems available to a larger number of players and is not limited to participation, in a given system, only to those devices which are specially constructed for coupling to a particular progressive system, only those devices

17224/90400

made by a particular manufacturer, only those devices for playing a particular game or only those devices using a certain monetary denomination. It is believed that, in addition to making the system widely available to a number of different players, the system also maintains or enhances resistance to cheating. The present system is believed to make it possible for a large number of terminals (such as
5 on the order of ten thousand terminals) to participate in a single progressive prize while still providing effective and efficient communication of information among the computer of the system.

A number of variations and modifications of the present invention can be used. Although the progressive gaming system has been described in connection with gaming terminals such as electronic slot machines and the like, the embodiments of the present invention can be used in connection with a
10 number of user input devices which are coupled together or coupled to a central system including automatic teller machines (ATMs), vending machines, telephone systems, interactive television systems, networked computers such as local area networks, wide area networks, client server or peer-to-peer networks, dial-up computer services such as dial-up internet services, dial-up database services and the like or permanent-node internet communications or database service communications. It is
15 possible to use some aspects of the invention without using other aspects. For example, it is possible to use a three-level terminal-casino-central system for a progressive gaming system without transmitting the identity of a winner or potential winner to central system.

Although the invention has been described by way of a preferred embodiment and certain variations and modifications, other variations and modifications can also be used, the invention being
20 defined the following claims.

The claims defining the invention are as follows:

1. A method for use in a progressive gaming system having a central system for making a determination of whether a progressive prize has been won, and gaming terminals for use by players, wherein said gaming terminals are used in
 5 awarding local prizes to said players, comprising:

coupling a first computer to a plurality of gaming terminals wherein said first computer is configured for communication with said central system;

- communicating, from said central system to said first computer, a
 10 determination that said progressive prize is to be awarded;

selecting, in said first computer, one of said gaming terminals, wherein one of said players who has played on said gaming terminal is to be awarded at least a portion of said progressive prize, regardless of whether said player has won a local prize on said gaming terminal.

2. A method, as claimed in claim 1, further comprising;

communicating from said first computer to said central system, the magnitude of a contribution related to the total of the amounts wagered on said plurality of gaming terminals; and

- making said determination in said central system only after an accumulated
 20 amount of said contributions has exceeded a threshold amount

3. A method, as claimed in claim 2, further comprising;

identifying, in said first computer, at least one potential winner before said step of making said determination.

4. A progressive gaming system having gaming terminals for use by
 25 players and said progressive gaming system also having a central system for making determinations of whether a progressive prize has been won comprising:

a first processor coupled to a first plurality of gaming terminals, said first processor configured to communicate first information to said central system, said first information including at least a magnitude of a contribution from said first plurality of
 30 gaming terminals towards said progressive prize;

a second processor coupled to a second plurality of gaming terminals, said second processor configured to communicate second information to said central system, said second information including at least a magnitude of a contribution from said second plurality of gaming terminals towards said progressive prize;

- wherein said central system is configured to make at least one said
 35 determination in response to a cumulative amount of said contribution by one of said first plurality of gaming terminals and said second plurality of gaming terminals exceeding a predetermined threshold.

5. A progressive gaming system as claimed in claim 4, further comprising a player tracker coupled to at least said first processor and said first plurality of gaming terminals to identify at least one player at one of said plurality of gaming terminals.

5 6. A progressive gaming system as claimed in claim 5, wherein said first processor is configured to communicate with said central system by a communication link which includes at least part of said player tracker.

7. A progressive gaming system as claimed in claim 5, wherein said first information includes an indication of the identity of at least said first player.

10 8. A progressive gaming system as claimed in claim 5, wherein said player tracker identifies said at least one player in advance of said determination by said central system.

9. A progressive gaming system as claimed in claim 4, wherein said central system makes said determination by generating a substantially random number
15 for comparison to a stored number.

10. Apparatus for a progressive gaming system comprising:
first and second pluralities of gaming terminals in first and second locations,
each gaming terminal configured for receiving wagers from players, and having a card
reader for reading a card which identifies a player at said gaming terminal;

20 first and second computer network systems coupled to said first and second pluralities of gaming terminals respectively;

each network system receiving from said coupled plurality of gaming terminals
information related to the amount of wagers placed on said gaming terminals by said
players and information indicating the identity of the players in accordance with the
25 identities indicated by said card readers;

first and second computers coupled to said first and second networks and
having a communication link to a central computer system;

said first and second computers configured to communicate to said central
system, the magnitude of a contribution from said first and second pluralities of gaming
30 terminals respectively towards a progressive prize;

said central computer system configured to periodically poll said first and
second computers, wherein said first and second computers, in response to said polling,
transmit to said central computer system an indication of said contribution;

said central computer system accumulating said contributions in first and
35 second accounts for said first and second pluralities of gaming devices until any said
account reaches a threshold amount whereupon said central system;

subtracts the threshold amount from said account;

adds said threshold amount to said progressive prize;

generates a random number between 1 and a predetermined odds number and;

compares said random number to a stored winning number;

wherein when said generated random number matches said stored winning number, said central system communicates a win decision to at least one of said first and second computers whose account reaching said threshold was responsible for generation of said random number and;

wherein said one computer, in response to receipt of said win decision, generates a signal to notify at least one of said players that said player has won said progressive prize;

wherein there is no direct communication between said gaming terminals and said central computer system.

11. A method for use in a progressive gaming system having gaming terminals for use by players and a central system for making a determination of whether a progressive prize has been won comprising:

coupling a first computer to a first plurality of gaming terminals wherein said first computer is configured for communication with said central system;

communicating from said gaming terminals to said first computer information indicating the amount of wagers placed on said gaming terminals;

communicating from said first computer to said central system the magnitude of a contribution related to the total of the amounts wagered on said plurality of gaming terminals;

determining, in said central system, when an accumulated amount of said contributions exceeds a threshold amount and, in response, making said determination;

communicating, from said central system to said first computer, when said determination is a determination of a win.

12. A method as claimed in claim 11, further comprising communicating, from said first computer to at least one of said players, information indicating that said player has won said progressive prize.

13. A method as claimed in claim 11, further comprising identifying at least one of said players by said computer.

14. A method as claimed in claim 11, wherein said step of identifying is performed before making said determination in said central system.

15. A method as claimed in claim 11, further comprising identifying, in said first computer, at least one potential winner.

16. A method as claimed in claim 15, wherein said step of identifying at least one potential winner is performed before making said determination in said central system.

17. A method as claimed in claim 15, further comprising communicating first information indicating the identity of said potential winner before said determining in said central system.

18. A method as claimed in claim 17, further comprising encrypting said first information prior to said communicating of said first information.

19. A method as claimed in claim 18, further comprising communicating a decryption key for said encrypted first information to said central system after said step
5 of determining in said central system.

20. Progressive gaming apparatus comprising:
a plurality of gaming terminals for use by players;
a computer coupled to said plurality of gaming terminals for communication
therewith, said computer coupled to a central computer system for communication with
10 said central computer system;
said computer having means for receiving information indicating the amount of wagers received in said gaming terminals and for communicating to said central system the magnitude of a contribution towards said progressive prize;
said central system having means for receiving said information indicating
15 contributions and for making a win/loss determination when said contribution reaches a threshold amount, said central system further having means for communicating to said computer when said win/loss decision results in a win; and
means for notifying a player of a win of the progressive prize.

20
Dated 3 March, 1999
International Game Technology

25
Patent Attorneys for the Applicant
SPRUSON & FERGUSON

